

PURE

2 AÑOS
de asistencia
GRATUITOS

Esencial, simple y eficaz: **Pure** es el software perfecto para monitorear sitios o infraestructuras de tamaño pequeño. Gracias a su interfaz clara e intuitiva es posible gestionar hasta 20 cámaras en modo mono-servidor.

Con su capacidad de controlar cámaras PTZ y codificadores, Pure convierte las viejas instalaciones analógicas a sistemas digitales e innovadores, accesibles por medio de nuestro Cliente, tanto con el ordenador como con el navegador en dispositivos móviles.




Ideal para sitios o infraestructuras de tamaño pequeño



Se pueden gestionar hasta 20 cámaras en modo mono-server



Accesible en cualquier lugar con ordenadores y dispositivos móviles



PURE

CARACTERÍSTICAS PRINCIPALES

Pure Analytics

Pure incluye herramientas de análisis video para la detección de movimiento: la solución perfecta para vigilar sobre tiendas y residencias que necesitan un medio inteligente y eficaz para proteger la seguridad de empleados y habitantes.

Gestión

La gestión del software puede ser local o remota con todos los ordenadores y dispositivos móviles empleando nuestro cliente OMNIA.

Almacenamiento de videos

El soporte de almacenamiento permite descargar archivos en dispositivos locales. El watermarking (marca de agua digital) da garantía de la originalidad y la imposibilidad del manipular las imágenes.

Perfiles de Usuarios

Se pueden activar tres perfiles según las competencias (Administrator, Power User, User).

Opcionales

Arteco Everywhere.



REQUISITOS DE SISTEMA


Hardware

MINIMUM REQUIREMENTS	SUGGESTED REQUIREMENTS
CPU Desktop: Intel® Core i3® 7th generation o superior	CPU Desktop: Intel® Core i5® 9th generation o superior
CPU Server: Intel® Xeon® Bronze series o superior	CPU Server: Intel® Xeon® Silver series o superior
RAM: 8 GB o superior	RAM: 16 GB o superior
LAN: 1x Gigabit Ethernet Network Interface Card	LAN: 1x Gigabit Ethernet Network Interface Card

64 bit OS Compatibility

Windows 11
Windows 10 Pro or Enterprise
Windows Server 2016
Windows Server 2019 (including Essentials version)
Windows Server 2022





PURE

COMPARACIÓN DEL SOFTWARE

● standard ○ optional – not available

	Pure	eMotion	Active	Extreme
License Mix	–	○	○	○
Max Number of supported cameras per server	20	unlimited	unlimited	unlimited
Max Number of supported servers	1	3	unlimited	unlimited
Max Number of simultaneous connections (client, mobile, web)	5	unlimited	unlimited	unlimited
Max Number of users	unlimited	unlimited	unlimited	unlimited
Authentication with Microsoft Active Directory	●	●	●	●
Manage via Omnia Web client	●	●	●	●
PTZ Control (incl. presets&sequences)	●	●	●	●
Multi Camera Playback (simultaneous playback of more than one camera)	●	●	●	●
Instant Replay	●	●	●	●
Event Notification	●	●	●	●
Event Search	●	●	●	●
Substream Support (Live&Recording)	●	●	●	●
Audio IN (audio in support Live&Rec, Axis + Onvif)	●	●	●	●
Virtualization (upon request)	●	●	●	●
Streaming Recoder (hardware decoder @low-res)	–	●	●	●
Web Device (embedded browser)	–	●	●	●
External I/O + Input External State (receive and send HTTP/CGI scripts)	–	●	●	●
Record to network storage (NAS, SAN...)	–	●	●	●
Privacy Mask (blurred image, removable from recorded video by admin user)	–	●	●	●
Maps Supervisor	–	●	●	●
Customization of user right to access specific cameras (Camera Selection)	–	●	●	●
Customization of user role rights (User Policies)	–	●	●	●
RTSP Streaming Output (recoding and sending of video streams from the VMS to third parties)	–	–	●	●
Edge Storage	–	–	●	●
Audio IN/OUT (Live&Rec audio in and out management, available for ONVIF devices only)	–	–	●	●
Videowall	–	○	○	●
Server Failover (Server Redundancy)	–	–	○	●
Storage Failover (min 2 disks required; in case of disk failure, the system redirect recordings on a pre-configured disk portion, SPARE)	–	–	–	●
Auxiliary Path (simultaneous recording on 2 storage paths)	–	–	–	●
Analytics				
Motion Detection Pure (on/off)	●	●	●	●
Motion Detection eMotion (Basic filters)	–	●	●	●
Smart Search	–	●	●	●
Motion Detection Active (Advanced filters)	–	–	●	●
Plug In				
Arteco Everywhere Integration	●	●	●	●
VCA light	–	–	○	○
VCA with smart search	–	–	–	○
LPR Server	–	○	○	○
LPR - Support for LPR native cameras (Tattile, Selea,...)	–	○	○	○
LPR - Support for Hikvision LPR and Targa System cameras (requires Arteco Gateway)	–	○	○	○
LPR - Hanwha Wisenet App (also available as stand alone)	–	○	○	○
Open Connector	–	●	●	●
Security Connector	–	○	○	○
Access Control Connector	–	○	○	○