

**arteCO**  
PURE

**2 YEARS  
FREE  
SUPPORT**

Essential, simple and efficient: Arteco Pure is the ideal software solution to monitor small-to-medium sized venues and infrastructures. Thanks to its clear and friendly interface, you can manage up to 20 cameras running on a single server.


Arteco Pure is able to control PTZ cameras and encoders, and convert old analog units into innovative digital systems, which you can access both via Arteco Client on PC desktop and via web browsers on mobile devices.



Perfect for small to medium sized venues




Manage up to 20 cameras on a single server



Access everywhere on PC desktop and mobile





# ARTECO PURE

## MAIN FEATURES

### Pure Analytics

Arteco Pure features basic video analysis tools for motion detection. It is a perfect solution for video surveillance of small venues and houses, which need a friendly and smart system to protect business and security.

### Access

The software has local and remote access on PC desktop and mobile devices via Arteco Next, iOS and Android Arteco App and, finally, web browsers.

### Video archiving

The archive tool allows you to download videos on local devices. The watermark guarantees that the video has not been manipulated.

### User profiles

You can set three different user profiles (Administrator, Power User, User).

### Optional

Arteco Everywhere.

*ONVIF® (S and G Profiles) and RTSP compatible | H.265, H.264, M-jpeg, Mpeg-4, 4K and UHD cameras supported*


## SYSTEM REQUIREMENTS

### Hardware

Intel® Core i3® and following  
Intel® Xeon® 3.0 GHz, 2 MB Cache, 800 MHz FSB and more  
4GB of RAM and more  
1x Gigabit Ethernet Network Interface Card

OS

Microsoft® Windows Vista SP1 Business or Ultimate 64-bit  
Microsoft® Windows 7 Professional or Ultimate 64-bit  
Microsoft® Windows 8.0/8.1 Professional or Enterprise 64-bit  
Microsoft® Windows 10 Pro or Enterprise  
Microsoft® Windows Server® 2003 Standard/Enterprise Edition SP1/SP2/R2 64-bit  
Microsoft® Windows Server® 2008 Standard/Enterprise Edition SP2 64-bit  
Microsoft® Windows Server® 2008 Standard/Enterprise Edition R2 64-bit  
Microsoft® Windows Server® 2012 R2 64-bit  
Microsoft® Windows Server® 2016 64-bit  
Microsoft® Windows Server® 2019 64-bit



● standard   ○ optional   – not available

	Pure	eMotion	Active	Extreme
<b>Server Features</b>				
License Mix	–	○	○	○
Max Number of supported cameras per server	20	unlimited	unlimited	unlimited
Max Number of supported servers	1	3	unlimited	unlimited
Max Number of simultaneous connections (client, mobile, web)	5	unlimited	unlimited	unlimited
Max Number of users	unlimited	unlimited	unlimited	unlimited
Authentication with Microsoft Active Directory	●	●	●	●
Manage via Arteco App (ios and Android, free)	●	●	●	●
PTZ Control (incl. presets&sequences)	●	●	●	●
Multi Camera Playback (simultaneous playback of more than one camera)	●	●	●	●
Instant Replay	●	●	●	●
Event Notification	●	●	●	●
Event Search	●	●	●	●
Substream Support (Live&Recording)	●	●	●	●
Manage via Arteco Web Client	●	●	●	●
Audio IN (audio in support Live&Rec, Axis + Onvif)	●	●	●	●
Virtualization (upon request)	●	●	●	●
Streaming Recoder (hardware decoder @low-res)	–	●	●	●
Web Device (embedded browser)	–	●	●	●
External I/O + Input External State (receive and send HTTP/CGI scripts)	–	●	●	●
Record to network storage (NAS, SAN...)	–	●	●	●
Privacy Mask (blurred image, removable from recorded video by admin user)	–	●	●	●
Maps Supervisor	–	●	●	●
Customization of user right to access specific cameras (Camera Selection)	–	●	●	●
Customization of user role rights (User Policies)	–	●	●	●
RTSP Streaming Output (recoding and sending of video streams from the VMS to third parties)	–	–	●	●
Edge Storage	–	–	●	●
Audio IN/OUT (Live&Rec audio in and out management, available for ONVIF devices only)	–	–	●	●
Arteco Videowall	–	○	○	●
Server Failover (Server Redundancy)	–	–	○	●
Storage Failover (min 2 disks required; in case of disk failure, the system redirect recordings on a pre-configured disk portion, SPARE)	–	–	–	●
Auxiliary Path (simultaneous recording on 2 storage paths)	–	–	–	●
<b>Analytics</b>				
Motion Detection Pure (on/off)	●	●	●	●
Motion Detection eMotion (Basic filters)	–	●	●	●
Smart Search	–	●	●	●
Motion Detection Active (Advanced filters)	–	–	●	●
<b>Plug In</b>				
Arteco Everywhere Integration	●	●	●	●
CIAS Integration (Intrusion & Perimeter detection)	–	○	○	○
Contact ID Integration (Intrusion & Fire)	–	○	○	○
OMNIA VCA with Forensic search	–	–	–	○
OMNIA Face Factor	–	○	○	○
OMNIA LPR Server	–	○	○	○
Arteco LPR - Support for LPR native cameras (Tattile, Selea,...)	–	○	○	○
Arteco LPR - Support for Hikvision LPR and Targa System cameras (requires Arteco Gateway)	–	○	○	○
Arteco LPR - Hanwha Wisenet App (also available as stand alone)	–	○	○	○
Open Connector	–	●	●	●
Security Connector	–	○	○	○
Access Control Connector	–	○	○	○